


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			DATE	DWN	APVD
FT	0	P	LTR	DESCRIPTION			
		H2		REVISED PER ECO-11-004587	11MAR11	RK	HMR

STYLE	FREE DIA	LH	LENGTH	MAT'L (NOTE)	MATING PIN ϕ REF	PLATING NOTE NO.	NUM LOUV	MAT'L THK	REF	PART NO.
A	[.34][.043]	--	12	6.35[.250]	UNPL	18	0.15[.006]	03142	5-192038-0	OBSOLETE ¹⁶
A	[.34][.030]	--	12	6.35[.250]	3-2	18	0.15[.006]	03028	4-192038-9	
A	[.34][.030]	--	12	6.35[.250]	1-2	18	0.15[.006]	03086	4-192038-8	
A	[.34][.030]	--	12	6.35[.250]	UNPL	18	0.15[.006]	03074	4-192038-7	OBSOLETE ¹⁶
A	--	--	12	6.30[.248]	UNPL	19	0.30[.012]	--	4-192038-6	¹³
A	--	--	12	6.30[.248]	UNPL	19	0.28[.011]	--	4-192038-5	¹³
A	[.35][.034]	--	12	6.30[.248]	3-2	19	0.25[.010]	03025	4-192038-4	¹⁶
A	[.35][.034]	--	12	6.30[.248]	1-2	19	0.25[.010]	03147	4-192038-3	OBSOLETE
A	[.35][.034]	--	12	6.30[.248]	UNPL	19	0.25[.010]	03111	4-192038-2	
A	[.32][.038]	--	12	6.00[.236]	4-2	17	0.20[.008]	03137	4-192038-1	
A	[.32][.038]	--	12	6.00[.236]	3-2	17	0.20[.008]	03023	4-192038-0	
A	[.32][.038]	--	12	6.00[.236]	1-2	17	0.20[.008]	03065	3-192038-9	¹⁶
A	[.32][.034]	--	12	6.00[.236]	UNPL	17	0.20[.008]	03061	3-192038-8	OBSOLETE
A	[.33][.034]	--	12	6.00[.236]	3-2	17	0.15[.006]	03022	3-192038-7	¹⁶
A	[.33][.034]	--	12	6.00[.236]	1-2	17	0.15[.006]	03113	3-192038-6	¹⁶
A	[.33][.034]	--	12	6.00[.236]	UNPL	17	0.15[.006]	03021	3-192038-5	OBSOLETE
NOT AVAILABLE										
A	[.35][.020]	--	13	6.00[.236]	--	17	0.12[.005]	03085	3-192038-3	¹⁶
NOT AVAILABLE										
A	[.26][.034]	--	12	5.00[.197]	3-2	15	0.20[.008]	03019	3-192038-1	¹⁶
A	[.26][.034]	--	12	5.00[.197]	1-2	15	0.20[.008]	03131	3-192038-0	OBSOLETE
A	[.26][.034]	--	12	5.00[.197]	UNPL	15	0.20[.008]	03130	2-192038-9	
A	[.26][.031]	--	12	5.00[.197]	3-2	15	0.15[.006]	03018	2-192038-8	
A	[.26][.031]	--	12	5.00[.197]	1-2	15	0.15[.006]	03064	2-192038-7	¹⁶
A	[.26][.031]	--	12	5.00[.197]	5	15	0.15[.006]	03103	2-192038-6	OBSOLETE
A	[.26][.031]	--	12	5.00[.197]	UNPL	15	0.15[.006]	03060	2-192038-5	OBSOLETE
A	[.23][.034]	--	12	4.00[.157]	3-2	14	0.20[.008]	03013	2-192038-4	¹⁶
A	[.23][.030]	--	12	4.00[.157]	3-2	14	0.15[.006]	03012	2-192038-3	¹⁶
A	[.21][.030]	--	12	3.50[.138]	3-2	13	0.15[.006]	03011	2-192038-2	¹⁶
A	[.21][.034]	--	12	3.17[.125]	3-2	12	0.20[.008]	03010	2-192038-1	OBSOLETE
A	[.21][.034]	--	12	3.17[.125]	1-2	12	0.10[.004]	03132	2-192038-0	
A	[.21][.034]	--	12	3.17[.125]	5	12	0.10[.004]	03133	1-192038-9	
A	[.21][.034]	--	12	3.17[.125]	UNPL	12	0.10[.004]	03134	1-192038-8	
A	[.20][.030]	--	12	3.00[.118]	3-2	11	0.15[.006]	03009	1-192038-7	
A	[.19][.030]	--	12	3.00[.118]	3-2	10	0.15[.006]	03008	1-192038-6	
A	[.18][.030]	--	12	2.67[.105]	3-2	9	0.15[.006]	03007	1-192038-5	¹⁶
A	[.18][.030]	--	12	2.31[.091]	3-2	8	0.15[.006]	03006	1-192038-4	¹⁶
A	[.15][.030]	--	12	2.03[.080]	3-2	7	0.15[.006]	03005	1-192038-3	
A	[.15][.030]	--	12	1.70[.067]	3-2	6	0.15[.006]	03004	1-192038-2	
C	--[.038]	NOTE 14	12	--	3-2	--	0.20[.008]	03000	1-192038-1	OBSOLETE
C	--[.038]	NOTE 14	12	--	1-2	--	0.20[.008]	03095	1-192038-0	
C	--[.038]	NOTE 14	12	--	UNPL	--	0.20[.008]	03077	192038-9	
C	--[.034]	NOTE 14	12	--	4-2	--	0.15[.006]	03123	192038-8	
C	--[.034]	NOTE 14	12	--	3-2	--	0.15[.006]	03053	192038-7	OBSOLETE
C	--[.034]	NOTE 14	12	--	1-2	--	0.15[.006]	03104	192038-6	
C	--[.034]	NOTE 14	12	--	UNPL	--	0.15[.006]	03001	192038-5	¹⁶
NOT AVAILABLE										
NOT AVAILABLE										
NOT AVAILABLE										
NOT AVAILABLE										





1. FINISH-SILVER PLATE 200 μ IN MIN THICK.
 2. FINISH-NICKEL PLATE 40 μ IN MIN THICK.
 3. FINISH-GOLD PLATE 10 μ IN MIN THICK.
 4. FINISH-GOLD PLATE 50 μ IN MIN THICK.
 5. FINISH-NICKEL PLATE 80 μ IN MIN THICK.
 6. FINISH-TIN PLATE 300 μ IN MIN THICK.
 7. NOT USED.
 8. NOT USED.
 9. NOT USED.
 10. NOT USED.
 11. PLATING NOTE ARE TO BE INTERPRETED AS FOLLOWS, 6-8 AS 6 OVER 8.
 12. MATERIAL-CDA172, BeCu.
 13. MATERIAL-STAINLESS STEEL.
 14. PRODUCT IS SOLD BY THE FOOT.
- ¹³ OBSOLETE PART NUMBER.
¹⁶ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RA JAYNE 08-13-91	STE TE Connectivity	
DIMENSIONS: MM [INCHES]		CHK RA JAYNE 08-13-91		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RA JAYNE 08-13-91	NAME CONTACT BAND,FEMALE	
0 PLC \pm -		PRODUCT SPEC		
1 PLC \pm -		APPLICATION SPEC		
2 PLC \pm 0.5 [.02]		SIZE A2	CAGE CODE 00779	DRAWING NO C=192038
3 PLC \pm 0.25 [.010]		RESTRICTED TO		
4 PLC \pm -		CUSTOMER DRAWING		
ANGLES \pm -		SCALE NTS	SHEET 1 of 2	REV H2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	OWN	APVD
		-		SEE SHEET 1	-	-	-

STYLE	FREE DIA	LH	LENGTH	MAT'L (NOTE)	MATING PIN Ø REF	PLATING NUM NOTE NO.	NUM LOUV	MAT'L THK	REF	PART NUMBER			
A	.100	.034	--	12	17.98	.708	1-2	53	0.20	.008	03114	9-192038-9	
A	.90	.038	--	12	16.00	.630	1-2	46	0.20	.008	03107	9-192038-8	16
A	.90	.038	--	12	16.00	.630	UNPL	46	0.20	.008	03146	9-192038-7	OBSOLETE
A	.80	.034	--	12	14.00	.551	3-2	42	0.20	.008	--	9-192038-6	
A	.62	.034	--	12	12.70	.500	1-2	38	0.20	.008	03097	9-192038-5	OBSOLETE
A	.62	.034	--	12	12.70	.500	6	38	0.20	.008	03090	9-192038-4	
A	.62	.034	--	12	12.70	.500	UNPL	38	0.20	.008	03099	9-192038-3	OBSOLETE 16
A	--	--	--	12	12.70	.500	3-2	37	0.20	.008	03047	9-192038-2	16
A	--	--	--	12	12.70	.500	1-2	37	0.20	.008	03068	9-192038-1	16
A	--	--	--	12	12.70	.500	UNPL	--	0.20	.008	03059	9-192038-0	16
A	.62	.030	--	12	12.70	.500	1-2	36	0.15	.006	03117	8-192038-9	16
A	.62	.020	--	13	12.70	.500	UNPL	37	0.12	.005	03092	8-192038-8	OBSOLETE
A	.62	.034	--	12	11.99	.472	3-2	36	0.20	.008	--	8-192038-7	
A	.62	.034	--	12	11.99	.472	1-2	36	0.20	.008	03108	8-192038-6	
A	.62	.034	--	12	11.99	.472	UNPL	36	0.20	.008	03135	8-192038-5	16
A	.60	.034	--	12	11.10	.437	3-2	34	0.20	.008	03045	8-192038-4	16
A	.60	.034	--	12	11.10	.437	1-2	34	0.20	.008	03106	8-192038-3	OBSOLETE
A	.60	.034	--	12	11.10	.437	UNPL	34	0.20	.008	03081	8-192038-2	
A	.58	.034	--	12	11.10	.437	1-2	32	0.20	.008	03102	8-192038-1	
A	.58	.034	--	12	11.10	.437	UNPL	32	0.20	.008	03109	8-192038-0	16
A	.58	.020	--	13	11.10	.437	UNPL	32	0.12	.005	03118	7-192038-9	OBSOLETE
A	.60	.034	--	12	10.79	.425	4-2	34	0.20	.008	03105	7-192038-8	
A	.55	.038	--	12	10.00	.394	1-2	30	0.20	.008	03069	7-192038-7	
A	.55	.038	--	12	10.00	.394	UNPL	30	0.20	.008	03072	7-192038-6	OBSOLETE 16
A	--	--	--	12	10.00	.394	3-2	30	0.15	.006	03044	7-192038-5	16
A	.50	.034	--	12	9.52	.375	3-2	27	0.20	.008	03093	7-192038-4	OBSOLETE
A	.50	.034	--	12	9.52	.375	1-2	27	0.20	.008	03089	7-192038-3	16
A	.50	.034	--	12	8.89	.350	UNPL	28	0.20	.008	03112	7-192038-2	OBSOLETE 16
A	--	--	--	12	8.00	.315	3-2	--	0.12	.005	03043	7-192038-1	16
A	--	--	--	12	8.00	.315	3-2	--	0.20	.008	03040	7-192038-0	16
A	--	--	--	12	8.00	.315	1-2	--	0.20	.008	03098	6-192038-9	16
A	--	--	--	12	8.00	.315	1-2	--	0.20	.008	03070	6-192038-8	16
A	--	--	--	12	8.00	.315	UNPL	--	0.20	.008	03039	6-192038-7	16
A	.42	.034	--	12	8.00	.315	3-2	22	0.20	.008	03141	6-192038-6	
A	.42	.034	--	12	8.00	.315	1-2	22	0.20	.008	03101	6-192038-5	
A	.42	.034	--	12	8.00	.315	UNPL	22	0.20	.008	03100	6-192038-4	OBSOLETE 16
A	--	--	--	12	6.60	.260	3-2	--	0.15	.006	03038	6-192038-3	16
A	--	--	--	12	6.35	.250	UNPL	--	0.15	.006	03037	6-192038-2	16
A	.32	.036	--	12	7.11	.280	3-2	20	0.20	.008	03033	6-192038-1	
A	.32	.036	--	12	7.11	.280	1-2	20	0.20	.008	03063	6-192038-0	
A	.32	.036	--	12	7.11	.280	UNPL	20	0.20	.008	03076	5-192038-9	16
A	.32	.020	--	13	7.11	.280	UNPL	20	0.20	.008	03083	5-192038-8	OBSOLETE
A	--	--	--	12	6.60	.260	3-2	19	0.20	.008	03032	5-192038-7	16
A	--	--	--	12	6.35	.250	UNPL	18	0.20	.008	03031	5-192038-6	16
A	.35	.034	--	12	6.35	.250	UNPL	19	0.20	.008	03136	5-192038-5	OBSOLETE 16
A	.31	.034	--	12	6.35	.250	3-2	18	0.20	.008	03029	5-192038-4	
A	.31	.034	--	12	6.35	.250	1-2	18	0.20	.008	03075	5-192038-3	16
A	.31	.034	--	12	6.35	.250	UNPL	18	0.20	.008	03062	5-192038-2	OBSOLETE
A	.35	.043	--	12	6.35	.250	1-2	18	0.15	.006	03143	5-192038-1	OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	RA JAYNE	08-13-91	 TE Connectivity		
DIMENSIONS: MM [INCHES]		CHK	RA JAYNE	08-13-91			
		APVD	--	--		NAME	CONTACT BAND,FEMALE
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		APPLICATION SPEC		SIZE	A2
0 PLC ± -		1 PLC ± -		2 PLC ± 0.5 [.02]		CAGE CODE	00779
3 PLC ± 0.25 [.010]		4 PLC ± -		ANGLES ± -		DRAWING NO	192038
MATERIAL SEE TABLE		FINISH SEE TABLE		WEIGHT --		RESTRICTED TO	--
CUSTOMER DRAWING		SCALE NTS		SHEET 2 of 2		REV	H2