

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62202-3080](#)
Status: **Active**
Description: Right Angle Male (RAM) Module Removal Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T3002
Function	Removal
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	884982299610

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-622023080, TM-622018699, TM-622022099




image - Reference only

EU RoHS **China RoHS**

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T3002Series](#)

Application Tooling	FAQ
Description	Product #

1.85mm by 3.70mm Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Inverted, Right Wall, 11 Rows, 6 Columns, 220 Circuits, Mating Pin Length 4.70mm, Tin/Lead	0759102633
1.85mm by 3.70mm Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm	0759103623
1.85mm by 3.70mm Pitch, GbX I-Trac™	0759103633

Right Angle Header
Module, Left Guided
Inverted, Right Wall,
11 Rows, 6 Columns,
220 Circuits, Mating
Pin Length 4.70mm
1.85mm by 3.70mm 0759104623
Pitch, GbX I-Trac™

Right Angle Header
Module, Right
Guided Inverted,
Right Wall, 11 Rows,
6 Columns, 220
Circuits, Mating Pin
Length 4.70mm, Tin/
Lead
1.85mm by 3.70mm 0759105123
Pitch, GbX I-Trac™

Right Angle Header
Module, Right
Guided Coplanar,
Left Open, 11 Rows,
10 Columns, 220
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0759105623
Pitch, GbX I-Trac™

Right Angle Header
Module, Right
Guided Coplanar,
Left Open, 11 Rows,
6 Columns, 132
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0759105633
Pitch, GbX I-Trac™

Right Angle Header
Module, Right
Guided Coplanar,
Open Wall, 11 Rows,
6 Columns, 220
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0760110605
Pitch, GbX I-Trac™

Right Angle Header
Module, Unguided,
Open Ends, 7 Rows,
6 Columns, 84
Circuits, Staggered
Mating Pin Length
3.80mm & 4.70mm
1.85mm by 3.70mm 0760111603
Pitch, GbX I-Trac™

Right Angle Header
Module, Unguided,
Open Ends, 7 Rows,
6 Columns, 84
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0760111605
Pitch, GbX I-Trac™

Right Angle Header
Module, Unguided,
Open Ends, 7 Rows,

6 Columns, 84
Circuits, Staggered
Mating Pin Length
3.80mm & 4.70mm
1.85mm by 3.70mm 0760111633
Pitch, GbX I-Trac™
Right Angle Header
Module, Unguided,
Open Ends, 7 Rows,
6 Columns, 84
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0760111635
Pitch, GbX I-Trac™
Right Angle Header
Module, Unguided,
Open Ends, 7 Rows,
6 Columns, 84
Circuits, Staggered
Mating Pin Length
3.80mm & 4.70mm
1.85mm by 3.70mm 0760112625
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Open, 7 Rows, 6
Columns, 84 Circuits,
Staggered Mating
Pin Length 3.80mm
& 4.70mm
1.85mm by 3.70mm 0760113123
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Open, 7 Rows,
10 Columns, 140
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0760113623
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Open, 7 Rows, 6
Columns, 84 Circuits,
Mating Pin Length
4.70mm, Lead-Free
1.85mm by 3.70mm 0760113635
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Open, 7 Rows, 6
Columns, 84 Circuits,
Staggered Mating
Pin Length 4.70mm
& 5.70mm, Lead-
Free
1.85mm by 3.70mm 0760114625
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Coplanar,

Left Open, 7 Rows, 6
Columns, 84 Circuits,
Staggered Mating
Pin Length 3.80mm
& 4.70mm
1.85mm by 3.70mm 0760115123
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Coplanar,
Left Open, 7 Rows,
10 Columns, 140
Circuits, Mating Pin
Length 4.70mm,
Lead-Free
1.85mm by 3.70mm 0760115625
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Coplanar,
Left Open, 7 Rows, 6
Columns, 84 Circuits,
Staggered Mating
Pin Length 3.80mm
& 4.70mm
1.85mm by 3.70mm 0760119135
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Inverted,
Left Wall , 7 Rows,
10 Columns, 140
Circuits, Staggered
Mating Pin Length
4.70mm & 5.70mm,
Lead-Free
1.85mm by 3.70mm 0759101103
Pitch, GbX I-Trac™
Right Angle Header
Module, Unguided,
Open Ends, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 4.70mm
1.85mm by 3.70mm 0759101503
Pitch, GbX I-Trac™
Right Angle Header
Module, Unguided,
Open Ends, 11
Rows, 5 Columns,
110 Circuits, Mating
Pin Length 4.70mm
1.85mm by 3.70mm 0759101533
Pitch, GbX I-Trac™
Right Angle Header
Module, Unguided
Dual Wall, 11 Rows,
5 Columns, 110
Circuits, Mating
PinLength 4.70mm
1.85mm by 3.70mm 0759101603
Pitch, GbX I-Trac™
Right Angle Header
Module, Unguided,
Open Ends, 11

Rows, 6 Columns,
132 Circuits, Mating
Pin Length 4.70mm
1.85mm by 3.70mm 0759101605
Pitch, GbX I-
Trac™ Right Angle
Header Module,
Unguided, Open
Ends, 11 Rows,
6 Columns, 120
Circuits, Staggered
Mating Pin Length
3.80mm & 4.70mm
1.85mm by 3.70mm 0759101633
Pitch, GbX I-Trac™
Right Angle Header
Module, Unguided,
Dual End Walls, 11
Rows, 6 Columns,
120 Circuits, Mating
Pin Length 4.70mm
1.85mm by 3.70mm 0759103123
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Open, 11 Rows,
10 Columns, 220
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0759103133
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Inverted Right
Wall, 11 Rows,
10 Columns, 220
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0759103523
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Open, 11 Rows,
5 Columns, 110
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0759105133
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Inverted,
Right Wall, 11 Rows,
10 Columns, 220
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0759105523
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Coplanar,
Left Open, 11 Rows,
5 Columns, 110

Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0759107123
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Endwall, 11 Rows,
10 Columns, 220
Circuits, Mating Pin
Length 4.70mm
1.85mm by 3.70mm 0759107633
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Inverted, Right Wall,
11 Rows, 6 Columns,
132 Circuits, Mating
Pin Length 4.70mm
1.85mm by 3.70mm 0759109123
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Coplanar,
Left Endwall, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 4.70mm
1.85mm by 3.70mm 0759109623
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Coplanar,
Left Endwall, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 4.70mm
1.85mm by 3.70mm 0760111103
Pitch, GbX I-Trac™
Right Angle Header
Module, Unguided,
Open Ends, 7 Rows,
10 Columns, 140
Circuits, Mating Pin
Length 4.70mm,
Lead-Free
1.85mm by 3.70mm 0760111133
Pitch, GbX I-Trac™
Right Angle Header
Module, Unguided,
Dual End Walls, 7
Rows, 10 Columns,
140 Circuits, Mating
Pin Length 4.70mm,
Lead-Free
1.85mm by 3.70mm 0760113125
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Open, 7 Rows,
10 Columns, 140
Circuits, Staggered
Mating Pins 3.80mm
& 4.70mm

1.85mm by 3.70mm 0760113133
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Open, 7 Rows,
10 Columns, 140
Circuits, Mating Pin
Length 4.70mm,
Lead-Free

1.85mm by 3.70mm 0760113633
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Open, 7 Rows, 6
Columns, 84 Circuits,
Mating Pin Length
4.70mm, Lead-Free

1.85mm by 3.70mm 0760115133
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Coplanar,
Left Open, 7 Rows,
10 Columns, 140
Circuits, Mating Pin
Length 4.70mm,
Lead-Free

1.85mm by 3.70mm 0760115623
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Coplanar,
Left Open, 7 Rows, 6
Columns, 84 Circuits,
Mating Pin Length
4.70mm, Lead-Free

1.85mm by 3.70mm 0760115633
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Coplanar,
Left Open, 7 Rows, 6
Columns, 84 Circuits,
Mating Pin Length
4.70mm, Lead-Free

1.85mm by 3.70mm 0760117625
Pitch, GbX I-Trac™
Right Angle Header
Module, Left Guided
Coplanar, Right
Closed, 7 Rows, 6
Columns, 84 Circuits,
Staggered Mating
Pin Length 4.70mm
& 5.70mm, Lead-
Free

1.85mm by 3.70mm 0760118135
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Inverted,
Left Wall , 7 Rows,
10 Columns, 140

Circuits, Staggered
Mating Pin Length
4.70mm & 5.70mm
1.85mm by 3.70mm 0760118625
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Inverted,
Left Wall , 7 Rows, 6
Columns, 84 Circuits,
Staggered Mating
Pin Length 4.70mm
& 5.70mm
1.85mm by 3.70mm 0760119625
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Coplanar,
Left Wall, 7 Rows, 6
Columns, 84 Circuits,
Staggered Mating
Pin Length 4.70mm
& 5.70mm, Lead-
Free
1.85mm by 3.70mm 0760119635
Pitch, GbX I-Trac™
Right Angle Header
Module, Right
Guided Inverted,
Left Wall , 7 Rows, 6
Columns, 84 Circuits,
Staggered Mating
Pin Length 4.70mm
& 5.70mm, Lead-
Free

This document was generated on 10/04/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION