



Safety, Comfort & Style  
Anywhere You Go



A Cleaner,  
Safer Building  
Starts at Your  
Front Door



## Contents

|  |    |
|--|----|
| 3M™ Nomad™ Matting .....                                     | 4  |
| Applications and Recommendations .....                       | 6  |
| 3M™ Nomad™ Medium Traffic Scraper Matting 6050 .....         | 7  |
| 3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250 .....   | 8  |
| 3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100 ..... | 9  |
| 3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150 .....   | 9  |
| 3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100 .....  | 10 |
| 3M™ Nomad™ Embossed Scraper Matting .....                    | 11 |
| 3M™ Safety-Walk™ Wet Area Matting .....                      | 12 |
| 3M™ Safety-Walk™ Wet Area Matting 1500 .....                 | 12 |
| 3M™ Safety-Walk™ Heavy Traffic Wet Area Matting 3200 .....   | 13 |
| 3M™ Safety-Walk™ Cushion Matting .....                       | 14 |
| 3M™ Safety-Walk™ Cushion Matting 3270 .....                  | 14 |
| 3M™ Safety-Walk™ Cushion Matting 5270 .....                  | 15 |
| 3M™ Safety-Walk™ Cushion Matting 5100 .....                  | 16 |
| 3M™ Matting Accessory Items .....                            | 17 |
| 3M™ Matting Accessory Items .....                            | 18 |
| 3M™ Matting Ordering Information .....                       | 19 |

# 3M™ Nomad™ Matting

Proven expertise over many years

Over 30 years ago, 3M scientists developed a product which would help effectively protect building entrances from dirt. The first Nomad™ matting product with its revolutionary vinyl “coiled loops” was developed to help remove moisture as well as dirt and debris. Incorporating carpet fiber technology, 3M expanded its entrance matting offering. Today, thanks to continuous innovation and proven expertise, 3M offers a complete line of entrance matting as well as Safety-Walk™ branded wet area and anti-fatigue work area matting.



RECESSED WELLS, FOYERS



WORK AREAS



FOOD SERVICE AREAS



DRINKING FOUNTAINS  
& WET AREAS



ENTRANCES



POOL, LOCKER ROOM AREAS


# 3M™ Nomad™ Entrance Matting

It's more than a mat. It's a system.

The 3M™ Nomad™ Entrance Matting System is designed to stop dirt and moisture at the door, helping keep floors clean throughout your facility. Today's emphasis on green cleaning and the impact of the cleanliness of a building on health makes trapping dirt and moisture at the door critical. By using the 3M™ Nomad™ Entrance Matting System, the result is cleaner-looking floors that are easier to maintain, safer for building occupants, and less likely to be damaged by tracked-in dirt.




THE 3M™ NOMAD™ ENTRANCE MATTING SYSTEM CONSISTS OF 2 TYPES OF MATS:



### 3M™ Nomad™ Z-web Scraper Matting

Designed for recessed wells and foyers to trap more dirt and moisture.



### 3M™ Nomad™ Scraper Matting

First line of defense in the Nomad™ Entrance Matting System. Vinyl loops remove dirt and moisture from shoes before entering the building.



3M™ Nomad™ and 3M™ Safety-Walk™ vinyl matting has been certified by the National Floor Safety Institute (NFSI) as providing a “high traction” backing. NFSI tested these 3M™ mats using its NFSI 101-C Test Method for Measuring Dry Transitional Coefficient of Friction (TCOF) of Floor Mat Backing Materials and found each mat to have a TCOF of greater than 0.5. According to NFSI, mats lacking the high-traction backing offered by 3M™ matting are more prone to movement, which can increase the risk of migration, buckling, and curling, which, in turn, can contribute to slip, trips, and falls. Scotchgard™ Stone Floor Protector has been certified by the National Floor Safety Institute as providing “high traction.” A wet static coefficient of friction (SCOF) of greater than 0.60 was chosen by NFSI as the criteria for “high traction” because according to NFSI, floor surfaces maintaining this level of slip resistance when wet have proven to reduce slip-and-fall claims by between 50% and 90%.

# 3M™ Nomad™ Entrance Matting

## Applications and Recommendations

### 3M™ NOMAD™ SCRAPER MATTING

|  | Vinyl Loop<br>coiled web texture  |   |   | Z-Web<br>z-web texture  |   |
|--|---|---|---|---|---|
| Product No.  | 6050  | 8100  | 8150  | 6250  | 9100  |
| Backed/<br>Unbacked  | Backed  | Unbacked  | Backed  | Backed  | Unbacked  |
| Traffic Levels**   | Medium  | Heavy   | Heavy   | Medium  | Extreme   |
| APPLICATIONS   | Outside Entrances   | Good  | Excellent   | Good  | Excellent   |
|  | Foyers  | Excellent   | Good  | Excellent   | Not Recommended   |
|  | Recessed Well Areas   | Not Recommended   | Excellent   | Good  | Not Recommended   |
|  | Inside Entrances  | Good  | Not Recommended   | Good  | Not Recommended   |
| Personalization Options  | Embossed  | Not available   | Not available   | Embossed  | Not available   |
| Edging*<br><b>Scraper Matting:</b> Nosing standard on all 4-sides for 3' x 5' and 4' x 6' mats and on width ends only of 3' x 10' mats. Glued on edging available for all sizes in 3 profiles. | Low/Medium Profile  | High Profile  | High Profile  | Medium Profile  | High Profile  |
| Warranty   | <b>6 months:</b><br>Replacement<br><b>6 months–1 year:</b><br>25% off replacement matting | <b>1 year:</b><br>replacement<br><b>1–2 years:</b><br>50% off replacement matting | <b>1 year:</b><br>replacement<br><b>1–2 years:</b><br>50% off replacement matting | <b>6 months:</b><br>replacement<br><b>6 months–1 year:</b><br>25% off replacement matting | <b>1 year:</b><br>replacement<br><b>1–2 years:</b><br>50% off replacement matting<br><b>2-3 years:</b><br>25% off replacement matting |

\*For more information on Scraper Matting Nosing and Edging, see page 20.

\*\*Traffic Levels  
Light – up to 50,000 people/year  
Medium – up to 400,000 people/year  
Heavy – up to 1,000,000 people/year  
Extreme – up to and greater than 1,000,000 people/year


# 3M™ Nomad™ Medium Traffic Scraper Matting 6050

Backed, vinyl-loop matting for outdoor or indoor applications



Designed for MEDIUM traffic conditions


- Vinyl loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Cushioned vinyl backing protects floors from removed soil and will not stain flooring
- Durable vinyl construction performs in temperatures from -10°F to 150°F (-23°C to 65°C)
- Fade resistant



Easy to clean:  
shake or wash off  
with a hose




Black




Gray




Brown



Blue




Green



Red

## PRODUCT SPECIFICATIONS



- Open web construction removes, traps and hides dirt
- Flexible coils brush shoe soles
- Cushioned vinyl backing protects floors in inside areas

### Edging Recommendation

4-sided edging standard on 3' x 5' and 4' x 6' mats. Low/Medium profile recommended. Nosing on 3' x 10' mats width end only. All other sizes are nosed upon request.

### Warranty

6 months: replacement;  
6 months–1 year: 25% off replacement matting


# 3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250

Backed, vinyl z-web matting for outdoor and indoor applications, foyers and spill areas




Designed for MEDIUM traffic conditions


- Peaked edge design provides enhanced slip resistance while scraping dirt and debris
- Solid vinyl backing helps protect floors from removed soil and will not stain the floor
- Durable Z-web construction provides excellent support for light wheeled traffic such as carts and wheelchairs
- Effectively traps and holds moisture making it ideal for use by drink stations and water fountains



Easy to clean:  
shake or wash off  
with a hose




Gray



Brown

## PRODUCT SPECIFICATIONS



- Open construction allows easy cleaning
- High-tech product coating for added protection
- Durable vinyl construction
- Backed to hold debris from floor surface

### Edging Recommendation

4-sided edging standard on 3' x 5' and 4' x 6' mats. Medium profile recommended. Nosing on 3' x 10' mats width end only. All other sizes are nosed upon request.

### Warranty

6 months: replacement;  
6 months–1 year: 25% off replacement matting



## 3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100


## 3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150

Vinyl-loop matting for outdoor applications, recessed wells and foyers



Designed for HEAVY traffic conditions


- Durable, vinyl-loops scrape, trap and hide dirt and moisture, minimizing re-tracking into the building
- Provides resistance to grease and oil
- Backed mat can be used for indoor applications and protects floor surfaces



Easy to clean:  
shake or wash off  
with a hose




Black




Gray




Brown



Blue




Green



Red

### PRODUCT SPECIFICATIONS



- Open web construction removes, traps and hides dirt
- Flexible coils brush shoe soles
- Cushioned vinyl backing protects floors in inside areas

#### Edging Recommendations

4-sided edging standard on 3' x 5' and 4' x 6' mats. High profile recommended. Nosing on 3' x 10' mats width end only. All other sizes are nosed upon request.

#### Warranty

1 year: replacement;  
1–2 years: 25% off replacement matting


# 3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100

Unbacked, vinyl z-web matting for outdoor and recessed well applications




Designed for EXTREME Traffic conditions


- Unbacked construction scrapes, traps and hides dirt and debris, minimizing re-tracking into the building
- Peaked edge design provides enhanced slip-resistance
- Durable Z-web construction provides excellent support for light wheeled traffic such as carts and wheelchairs




Easy to clean:  
shake or wash off  
with a hose



Black




Gray



Brown

## PRODUCT SPECIFICATIONS



- Open construction allows easy cleaning
- High-tech product coating for added protection
- Durable vinyl construction
- Unbacked to allow dirt to fall through

### Edging Recommendation

4-sided edging standard on 3' x 5' and 4' x 6' mats. High profile recommended. Nosing on 3' x 10' mats width end only. All other sizes are nosed upon request.

### Warranty

1 year: replacement;  
1-2 years: 50% off replacement matting;  
2-3 years: 25% off replacement matting


# 3M™ Nomad™ Embossed Scraper Matting

For outdoor or indoor applications, foyers and spill areas




Designed for MEDIUM traffic conditions

- An economical personalization method to get your name, logo or message in front of customers
- Desired image is produced by melting the matting surface under heat and pressure – the resulting image is the same color as the mat
- Available in vinyl loop and Z-web scraper mats, backed and unbacked
- Solid vinyl backing helps protect floors from removed soil and will not stain flooring will not stain the floor



Easy to clean:  
shake or wash off  
with a hose

## 3M™ NOMAD™ SCRAPER MATTING 6050



Black

Gray


Brown

Blue

Green

Red

## 3M™ NOMAD™ Z-WEB SCRAPER MATTING 6250



Gray

Brown

### PRODUCT SPECIFICATIONS

#### Mat Sizes

3M™ Nomad™ Scraper Matting 6050:  
3' or 4' wide, 2' to 100' in length in 1' increments  
3M™ Nomad™ Z-web Scraper Matting 6250:  
3' or 4' wide, 2' to 50' in length in 1' increments

#### Available Embossing Graphics Colors Standard Embossing Graphics Area

Image is same color as mat

Maximum overall impressions size is 22" x 27";  
maximum impression area (not overall dimension) is 120  
square inches

#### Standard Embossing Logo Positions

Portrait or landscape positions are standard. Custom  
positions and designs are available if detailed artwork  
is provided.

#### Edging Recommendation

4-sided edging standard on 3' x 5' and 4' x 6'  
mats. Medium profile recommended.  
Nosing on 3' x 10' mats width end only.  
All other sizes are nosed upon request.


#### Warranty

6 months: replacement;  
6 months–1 year: 25% off replacement matting


# 3M™ Safety-Walk™ Wet Area Matting 1500




- Cushioned vinyl loops provide comfortable surface for barefoot traffic
- Coiled vinyl loops reduce impact of dropped items that may otherwise shatter and be a danger to barefoot traffic
- Open construction allows water to drain through, helping keep surfaces drier
- Improves slip resistance, helping reduce falls
- Antimicrobial coating provides resistance to mildew, fungus and odors in the mat



Easy to clean:  
shake or wash off with  
a hose or power washer




Blue



Green

## PRODUCT SPECIFICATIONS




- Open web construction removes, traps and hides dirt
- Flexible coils brush shoe soles


**Edging Recommendation**  
Not recommended

**Warranty**  
1 year: replacement


# 3M™ Safety-Walk™ Heavy Traffic Wet Area Matting 3200




- Z-web design provides uniform foot support
- Durable—won't flatten over time
- Open construction allows water to drain through, helping keep surfaces drier
- Enhances slip resistance, helping reduce falls
- Antimicrobial coating provides resistance to mildew, fungus and odors in the mat



Easy to clean:  
shake or wash off with  
a hose or power washer




Blue



Tan

## PRODUCT SPECIFICATIONS



- Open construction allows easy cleaning
- Antimicrobial properties inhibit fungal growth in the mat
- Durable vinyl construction


**Edging Recommendation**  
Not recommended

**Warranty**  
1 year: replacement;

# 3M™ Safety-Walk™ Cushion Matting 3270




- Spring-coiled vinyl compresses uniformly and continually, helping provide greater comfort and less fatigue
- Textured top surface provides a high coefficient of friction for slip resistance
- Coils are permanently fixed to the top surface and will not delaminate or separate when wet like foam mats
- Lightweight for easy moving and positioning
- Ideal for light industrial and light to medium commercial applications where people stand for extended periods of time



Easy to clean:  
shake or wash off with  
a hose or power washer

## PRODUCT SPECIFICATIONS



- Textured traction surface
- Coiled-vinyl bottom, solid top

### Edging Recommendation

3270 has no edging; 3270E has black edging on all 4 sides


### Warranty

1 year: replacement

## 3M™ Safety-Walk™ Cushion Matting 5270




- Spring-coiled vinyl compresses uniformly and continually, helping provide greater comfort and less fatigue
- Textured top surface provides a high coefficient of friction for slip resistance
- Solid top allows debris to stay on top of the mat for easy cleaning
- Special grease- and oil-resistant coating keeps mat resilient over time, providing continuous comfort
- Ideal for the workplace where people stand for extended periods of time
- Designed for medium to heavy industrial use



Easy to clean:  
shake or wash off with  
a hose or power washer

### PRODUCT SPECIFICATIONS



- Textured traction surface
- Coiled-vinyl bottom, solid top

#### Edging Recommendation

5270 has no edging.


5270E has black edging on the length sides and black nosing on the 3' and 4' width ends.

5270YE has yellow edging on the length sides and black nosing on the 3' and 4' width ends.


#### Warranty

1 year: replacement;

# 3M™ Safety-Walk™ Cushion Matting 5100




- Rigid vinyl Z-web construction provides firm support and allows cart traffic
- Extended ridge design provides increased traction in wet areas, helping reduce slips and falls
- Open Z-web design allows liquids and small debris to fall through enhancing the security of footing
- Ideal for the workplace where people stand for extended periods of time
- Designed for light industrial and light to medium commercial applications



Easy to clean:  
shake or wash off with  
a hose or power washer




Black



Quarry Tile Red

## PRODUCT SPECIFICATIONS



- Open construction allows easy cleaning
- High-tech product coating for added protection
- Durable vinyl construction
- Unbacked to allow dirt to fall through

### Edging Recommendation

Beveled edging on stocked sizes, no edging on custom sizes.

### Warranty

1 year: replacement



## 3M™ Matting Accessory Items

### 3M™ SCRAPER MAT NOSING

- Manufacturing process which heats and molds the ends of vinyl matting.
- 3' x 4' and 4' x 6' stocked mats are nosed on all 4 sides (See Figure 1).
- 3' x 10' stocked mats are nosed on the width ends only (See Figure 2).
- All other vinyl mats are nosed only upon request (width ends only).




Figure 1




Figure 2

### 3M™ SCRAPER MAT EDGING

- Designed to match the thickness of 3M Matting
- Tapered vinyl strips provide continuity from the floor to the mat and make it easier for cart and other wheeled traffic
- Glued onto mat using 3M™ Matting Adhesive

#### High Profile Edging



- Colors: Black and Granite
- Available in 1½" x 40' roll

#### Medium Profile Edging



- Colors: Black and Granite
- Available in 1" x 75' roll

#### Low Profile Edging



- Colors: Black
- Available in 5/8" x 25' roll and 1" x 75' roll

## 3M™ Matting Accessory Items

### 3M™ MATTING SEAMING TAPE



- Brown vinyl tape to bridge and bond 3M mat sides and ends together. Used with 3M™ Matting Adhesive
- Available in a 2" x 100' roll

### 3M™ MATTING ADHESIVE



- Urethane-based adhesive for use with 3M™ Matting Seaming Tape and/or edging materials
- Available in a 3 oz tube
- One tube adheres approximately 10 linear feet of edging

## 3M™ Matting Ordering Information

Contact your Authorized 3M Matting Distributor or call 1-800-852-9722

| <b>3M™ NOMAD SCRAPER MATTING*</b>                      |       |          |                |      |  |
|--|-------|----------|----------------|------|--|
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Black | 3' x 5'  | 50048011177804 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Gray  | 3' x 5'  | 50048011264450 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Brown | 3' x 5'  | 50048011264481 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Blue  | 3' x 5'  | 50048011264498 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Green | 3' x 5'  | 50048011264511 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Black | 3' x 20' | 00048011262468 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Gray  | 3' x 20' | 00048011262390 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Black | 4' x 6'  | 50048011177903 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Brown | 4' x 6'  | 50048011264559 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Gray  | 4' x 6'  | 50048011264528 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Blue  | 4' x 6'  | 50048011264566 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Green | 4' x 6'  | 50048011264580 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Black | 4' x 20' | 00048011262697 | 1/cs |  |
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050  | Gray  | 4' x 20' | 00048011262765 | 1/cs |  |
| 3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250   | Brown | 3' x 5'  | 50048011202230 | 1/cs |  |
| 3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250   | Gray  | 3' x 5'  | 50048011202346 | 1/cs |  |
| 3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250   | Brown | 4' x 6'  | 50048011202261 | 1/cs |  |
| 3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250   | Gray  | 4' x 6'  | 50048011202377 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100 | Black | 3' x 5'  | 00048011294667 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100 | Brown | 3' x 5'  | 50048011265068 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100 | Gray  | 3' x 5'  | 50048011265037 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100 | Gray  | 3' x 20' | 00048011262918 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100 | Black | 4' x 6'  | 00048011294681 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100 | Brown | 4' x 6'  | 50048011265181 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100 | Gray  | 4' x 6'  | 50048011265150 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100 | Gray  | 4' x 20' | 00048011346359 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150   | Black | 3' x 5'  | 00048011294735 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150   | Brown | 3' x 5'  | 50048011264672 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150   | Gray  | 3' x 5'  | 50048011264641 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150   | Gray  | 3' x 20' | 00048011345628 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150   | Black | 4' x 6'  | 00048011294704 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150   | Brown | 4' x 6'  | 50048011264801 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150   | Gray  | 4' x 6'  | 50048011264771 | 1/cs |  |
| 3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150   | Gray  | 4' x 20' | 00048011345574 | 1/cs |  |
| 3M™ Nomad™ Extreme Traffic Z-Web Scraper Matting 9100  | Gray  | 2' x 20' | 50048011095634 | 1/cs |  |
| 3M™ Nomad™ Extreme Traffic Z-Web Scraper Matting 9100  | Black | 3' x 5'  | 50048011161063 | 1/cs |  |
| 3M™ Nomad™ Extreme Traffic Z-Web Scraper Matting 9100  | Brown | 3' x 5'  | 50048011202438 | 1/cs |  |
| 3M™ Nomad™ Extreme Traffic Z-Web Scraper Matting 9100  | Gray  | 3' x 5'  | 50048011202407 | 1/cs |  |
| 3M™ Nomad™ Extreme Traffic Z-Web Scraper Matting 9100  | Black | 3' x 20' | 50048011153891 | 1/cs |  |
| 3M™ Nomad™ Extreme Traffic Z-Web Scraper Matting 9100  | Brown | 3' x 20' | 50048011202452 | 1/cs |  |
| 3M™ Nomad™ Extreme Traffic Z-Web Scraper Matting 9100  | Gray  | 3' x 20' | 50048011202421 | 1/cs |  |

**MATTING ACCESSORIES\***

|                                    |         |            |                |       |
|------------------------------------|---------|------------|----------------|-------|
| 3M™ Matting Edging, High Profile   | Black   | 1½" x 40'  | 50048011162022 | 1/cs  |
| 3M™ Matting Edging, High Profile   | Granite | 1½" x 40'  | 50048011162039 | 1/cs  |
| 3M™ Matting Edging, Low Profile    | Black   | 5/8" x 25' | 50048011592737 | 1/cs  |
| 3M™ Matting Edging, Low Profile    | Black   | 1" x 75'   | 50048011161957 | 1/cs  |
| 3M™ Matting Edging, Medium Profile | Black   | 1" x 75'   | 50048011161841 | 1/cs  |
| 3M™ Matting Edging, Medium Profile | Granite | 1" x 75'   | 50048011161919 | 1/cs  |
| 3M™ Matting Adhesive               |         | 3 oz tube  | 50048011085543 | 12/cs |
| 3M™ Matting Seaming Tape           | Brown   | 2" x 100'  | 50048011094576 | 5/cs  |

**3M™ SAFETY-WALK™ WET AREA MATTING\***

|  |       |          |                |      |
|--|-------|----------|----------------|------|
| 3M™ Safety-Walk™ Wet Area Matting 1500 | Blue  | 3' x 20' | 50048011176364 | 1/cs |
| 3M™ Safety-Walk™ Wet Area Matting 1500 | Green | 3' x 20' | 50048011176357 | 1/cs |
| 3M™ Safety-Walk™ Wet Area Matting 3200 | Blue  | 3' x 10' | 50048011161070 | 1/cs |
| 3M™ Safety-Walk™ Wet Area Matting 3200 | Tan   | 3' x 10' | 50048011161087 | 1/cs |
| 3M™ Safety-Walk™ Wet Area Matting 3200 | Blue  | 3' x 20' | 50048011137228 | 1/cs |
| 3M™ Safety-Walk™ Wet Area Matting 3200 | Tan   | 3' x 20' | 50048011137235 | 1/cs |

**3M™ SAFETY-WALK™ WORK AREA MATTING\***

|  |                 |          |                |      |
|--|-----------------|----------|----------------|------|
| 3M™ Safety-Walk™ Cushion Matting 3270E | Black           | 3' x 5'  | 00048011348261 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 3270E | Black           | 3' x 10' | 00048011348285 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 3270  | Black           | 3' x 10' | 00048011348216 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 3270E | Black           | 3' x 20' | 00048011348308 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 3270  | Black           | 3' x 20' | 00048011348230 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 3270E | Black           | 4' x 6'  | 00048011348278 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 3270E | Black           | 4' x 10' | 00048011348292 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5100  | Black           | 3' x 5'  | 50048011202292 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5100  | Quarry Tile Red | 3' x 5'  | 50048011059780 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5100  | Black           | 3' x 10' | 50048011202315 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5100  | Quarry Tile Red | 3' x 10' | 50048011059797 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5100  | Black           | 3' x 20' | 50048011202339 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5100  | Quarry Tile Red | 3' x 20' | 50048011059803 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5270E | Black           | 3' x 2'  | 00048011545769 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5270E | Black           | 3' x 5'  | 00048011545776 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5270E | Black           | 3' x 20' | 00048011545790 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5270E | Black           | 4' x 6'  | 00048011559469 | 1/cs |
| 3M™ Safety-Walk™ Cushion Matting 5270E | Black           | 4' x 20' | 00048011559216 | 1/cs |

\*Custom lengths and additional colors are available. Please contact your 3M Sales Representative or Customer Service Representative for ordering information.

IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If a 3M™ Nomad™ Entrance Matting System product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement of the 3M product, refund of the purchase price, or a discount off the cost of replacement matting pursuant to the following schedule. This warranty does not cover product failure arising out of product abuse or misuse, or the failure to properly install or maintain the product.

**Limitation of Liability:** Except where prohibited by law, 3M will not be liable for any loss or damage arising from its 3M™ Nomad™ Entrance Matting System products, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted.



**Commercial Solutions Division**  
 3M Center  
 St. Paul, MN 55144-1000  
 (800) 852-9722  
[www.3M.com/floorsafety](http://www.3M.com/floorsafety)

Please recycle. Printed in USA.  
 3M, Nomad and Safety-Walk are trademarks of 3M. NFSI logo is a registered trademark of National Floor Safety Institute.  
 © 3M 2014. All rights reserved.  
 78-8134-0462-7 Rev E dez16778